

Converging on the Divergent:

The History (and Future) of the International Joint Workshops in Computational Creativity

Amílcar Cardoso, Tony Veale, and Geraint A. Wiggins

■ *In this article, we survey the history of studies of computational creativity, following the development of the International Conference on Computational Creativity from its beginnings, a decade ago, in two parallel workshop series. We give a brief outline of key issues and a summary of the various different approaches taken by participants in the research field. The outlook is optimistic: a lot has been achieved in 10 years.*

A Matter of *Emphasis*

When heckled, professional comedians frequently lament that “everyone’s a comedian!” It’s easy to see why: professional comedians don’t possess different kinds of brains from others or engage in radically different kinds of behaviors from others, and moreover, the success of their acts is predicated on others’ shared ability to understand and reason about comic situations they describe. The difference between comedians and their audience is a matter not of kind, but of degree, a difference that is reflected in the vocational emphasis they place on humor.

Researchers in the field of computational creativity find themselves in a similar situation. As a subdiscipline of artificial intelligence, computational creativity explores theories and practices that give rise to a phenomenon, creativity, that all intelligent systems, human or machine, can legitimately lay claim to. Who is to say that a given AI system is not creative, insofar as it solves nontrivial problems or generates useful outputs that are not hard wired into its programming? As with comedians’ being funny, the difference between studying computational creativity and studying artificial intelligence is one of emphasis rather than one of kind: the field of computational creativity, as typified by a long-running series of workshops at AI-related conferences, places a vocational emphasis on creativity and attempts to draw together the commonalities of what

human observers are willing to call “creative” behaviors. The study of creativity in AI is not new, but it is unusual. When Margaret Boden included a chapter on creativity in her textbook *Artificial Intelligence and Natural Man* (Boden 1977), colleagues asked, “Why on earth are you doing that?” (Boden 1999). Sometimes, it seems that creativity is, for AI believers, that place beyond the pale, where lies intelligence itself for AI skeptics.

Since the mid-1990s, interest in creativity from an AI perspective has begun to blossom. Workshops dedicated to computational creativity now occur yearly or more, the foremost being the International Joint Workshop on Computational Creativity (IJWCC). This series grew out of a number of events in the 1990s, including the International Workshop on Computational Humor at the University of Twente in 1996, the Mind II conference on creative computation at Dublin City University in 1997, and the convention of the Society for the Study of Artificial Intelligence and Simulation of Behaviour (AISB) in Edinburgh in 1999, whose central theme was creativity in AI. This last was probably the largest AI creativity-focused conference to be held to date, attracting 225 participants. Subsequent to these developments, in 2000, the AISB convention hosted the first of several workshops on various aspects of AI and creativity; one year later, a workshop series on creative systems began holding workshops jointly with major AI-related conferences, namely ICCBR 2001, ECAI 2002 and IJCAI 2003; in 2008, AAI held its first spring symposium on computational creativity. It is no surprise that a relatively small and new community would struggle to sustain so much activity, and therefore, in 2004, the creative systems series merged with the AISB workshops to form an international joint workshop series, which proceeds to date.

Another indication of the surge of interest in the scientific study of creativity was the triennial Creativity and Cognition conference, originally motivated from Loughborough University, UK, but now floating internationally free. It has, as one might expect from its title, a less computational slant, but nevertheless resides under the banner of the Association for Computing Machinery. Creativity, of both biological organisms and machines, is becoming a hot scientific topic.

The Great Creativity Debate

Creativity is an elusive phenomenon to study, or even to define, made all the more vexing by our fundamental inability to pin it down in formal terms. Ask most people the question “what is creativity?” and you are more likely to elicit an anecdote, an aphorism, or a metaphor than you are a literal definition, least of all a definition that can

contribute to the construction of a convincing computational model. It’s not surprising, then, that a formal definition of creativity—and our inability to find one that satisfies everybody—has been the elephant in the room at all of the computational creativity workshops to date. Many hours have been spent in argument about what does and does not constitute creativity. Fortunately, these arguments have always been philosophically and socially engaging, and they expose the claims of workshop contributors to the deepest possible scrutiny. Of course, the history of AI records a similar debate on the search for a consensual definition for intelligence that might be useful for building computer systems. In that debate, we have so far only agreed to disagree, at least for the moment.

One key reason for the degree of debate on this topic at creativity workshops is that this is a field defined by a word, “creativity,” rather than a concept, *creativity*. The word has, historically, undergone several shifts in meaning, and it continues to mean different things to different people. One of the most beguiling aspects of language is the illusion of certainty it can grant to a speaker. The possession of a word for a given concept often implies possession of that concept itself, and when this word is both familiar and commonplace, like creativity, we can easily fall prey to the belief that the underlying concept is itself familiar, coherent, and easy to grasp. The slipperiness of the concept of creativity famously led Newell, Shaw, and Simon (1963) to despair of an essentialist account and propose instead a multipartite definition. They suggest four intermingling criteria for categorizing a solution as creative:

1. The answer has novelty and usefulness (either for the individual or society).
2. The answer demands that we reject ideas we had previously accepted.
3. The answer results from intense motivation and persistence.
4. The answer comes from clarifying a problem that was originally vague.

This approach is, of course, a classic AI formulation: there is at its base the implicit assumption that the created artifact is an “answer” and that therefore there must have been a question. In the creative arts and in the less empirically motivated sciences and mathematics, this need not be the case: creative motivation may be altogether less well defined. Nevertheless, we have seen theories and models that embody each of these criteria at the creativity workshops, which we catalogue below. Most papers emphasize the first criterion, presenting computational models that are capable of generating outputs that are novel (to themselves, at least) and demonstrably useful (either aesthetically or analytically).

An alternative view of the definition of *computational* creativity is proposed by Wiggins (2006):

The performance of tasks [by a computer] which, if performed by a human, would be deemed creative.

This is a different kind of definition, because it casts creativity as a relation between the creator and an observer. In some contexts, this style of definition would be a cop-out, merely postponing the problem; in this context, however, it is appropriate, since creativity really is in the eye of the beholder. Ultimately, progress in the field should lead to clearer definitions, and in any case, the primary issue is said by some not to be of absolute definitions of creativity or the concept of *creativity*, but of the *perception* of creativity that is applied by observers (Colton 2008).

The Eye of the Beholder

The IJWCC workshops thus provide a good forum for papers that focus on practical concerns in the development of computational systems that might, at some level, exhibit creativity. In the history of the workshop series, story generation is a strongly represented theme, as are musical composition and improvisation, humor, metaphor, analogy, and other clever uses of language. Most papers view creativity as an additional element of a system that authors would be building anyway, regardless of their interest in creativity, because their interests lie in stories, music, art, or language and because these phenomena are all the more appealing when they exhibit creativity. But to be truly successful, the workshops must succeed in aligning this interest in creativity with the public's perception of creative behavior, which is naturally inclined toward prototypical cases of human creativity and instinctively biased against anything that is artificial. This bias is further intensified by the act of creative appreciation itself, since it is the audience that imbues a product with much of its meaning and creative value. This is a point at which the analogy between computational creativity and artificial intelligence breaks down: the concept of intelligence does not entail a corresponding requirement. In general, it is often enough for a mechanism to perform a useful function with some degree of autonomy to earn the label "intelligent."

However, it bodes well for our computational efforts that artifacts have to be neither very complex nor obviously labor intensive to attract this kind of creativity-enhancing attention. Consider, for example, a simple but memorable piece of wordplay by the artist Marcel Duchamp. At a party in Paris in 1953, the tinfoil wrappers on the candy given to guests was graced with a Duchamp pun:

A Guest + A Host = A Ghost.




Figure 1. United Kingdom Office of Government Commerce.

The logo for the Office of Government Commerce reveals the rather more suggestive image below when creatively rotated 90 degrees clockwise.

The mechanics of the pun are easy to appreciate, while the knowledge needed to construct it is readily found in most dictionaries (that is, that *host* and *guest* are related terms). Yet the scientist Stephen Jay Gould (2000) finds creativity at many different levels of this simple pun, describing it as Duchamp's "deepest and richest play on words." It's hard to read Gould's account without concluding that much of this creativity resides in his own analysis, and not in the (literally) throw-away pun itself, but we can begin to see that even the simplest computational outputs can be accorded a high level of creativity if viewed with the benevolent eye of an audience that openly (and without bias) expects creativity. Even the simplest combinations can yield large payoffs in terms of creative appreciation. Consider another example, this time a visual pun, and one that is wholly unintention-




Figure 2. A Frame from the *Upside-Downs of Gustav Verbeek*.

The lower image (panel 5 of 6 in the original), is a 180-degree rotation of the upper image, panel 8. Cover one of the images to see the other most clearly.

al. Commissioned from a professional design company at a cost of £14,000, the bland logo for the United Kingdom Office of Government Commerce in figure 1 (upper) gives rise to a more creative (and altogether more suggestive) interpretation when rotated 90 degrees to the right; enough so to draw the attention of the UK national press (Simpson 2008).

A system for generating puns like Duchamp's

may not be an obvious topic for an IJCAI paper, but JAPE (Binsted, Pain, and Ritchie 1997), which plays the same game, has achieved considerable success at engaging children with no speech to be linguistically creative in the Standup project in Scotland (Black et al. 2007). To achieve human levels of computational creativity, we do not necessarily need to start big, at the level of whole poems, songs, stories, or paintings; we are more likely to succeed if we are allowed to start small, at the level of simple but creative phrases, fragments, and images.

In contrast with the example of figure 1, the same perceptual principle is at work in the much more labor intensive and artful image pair in figure 3, which depicts a single frame from the 1904 comic strip *The Upside-Downs of Gustav Verbeek*. In these one-page strips of 6 panels, Verbeek manages to tell a story that is 12 panels long, by asking the reader to physically invert the page once the first 6 panels have been read. As shown in figure 2, in which an old man in a canoe, catching a large fish, becomes a mythical *roc* eating a defenseless maiden, each panel must be artfully constructed so that it yields an equally well-formed panel when inverted. The artfulness of figure 2 is so far beyond the current abilities of AI systems that it is almost painful to contemplate how we might ever reach this level of creative generation. However, the representational and processing demands of figure 1 are well within our current computational grasp and allow us to begin to identify principles that can be exploited in much more complicated and unexpected ways.

One might ask why artifacts of this kind are worth generating in the first place. The answer lies in the kind of flexible, dual-purpose representations and emergent processes that are necessary to enable their generation. By and large, we are not going to understand these processes and representations by studying problems that are already in the AI mainstream, or by studying problems that have an apparent commercial or industrial dimension. The IJWCC workshops do not focus on pressing problems in AI (especially not problems with particular correct solutions), nor even on systems with immediate applications, but on problems that might illuminate the nature of human and machine creativity, and thus, one day, find their way into the AI mainstream. The fact that much of the work reported sits squarely within a given creative domain (such as music, mathematics, and so on) does not undermine the potential for general mechanisms—after all, there is no reason to suppose that a different mechanism for creativity is required for each possible domain.

An example of the generality of computational creativity technology can be found in the “curious agents” of Saunders and Gero (2004), where agents

exhibiting certain creatively exploratory behaviors cooperate in design—but the same technology has proved successful in simulating the biology of human stem cells (d’Inverno and Saunders 2005). So we can argue that these systems, at least, have creative behaviors that are capable of novelty and that are directly useful to humans—fulfilling at least two of Newell, Shaw, and Simon’s criteria.

The issue of evaluation is perennial in computational creativity (Boden 1998): how can a computational system know when its outputs are worthy of the term *creative*? In fact, of course, there is another aspect, in the scientific context, of evaluation: how do we empirically and rigorously evaluate the systems we build and decide whether or not they can genuinely be called creative? Ritchie (2007) presents some criteria that may be applied to a creative system formulated in a certain way, to begin an argument that it is (or is not) creative. Ritchie’s criteria are cleverly couched in terms of what the system knows about its own domain, and thus can potentially be applied without a general model of AI in the background; but Boden’s problem of evaluation, not of the system itself, but of the artifacts it produces as part of the creative process, is *much* harder and probably needs to be deferred until we are substantially more capable in general automated reasoning and knowledge representation.

Show and Tell

Philosophical arguments about the nature of creativity are just as unlikely as the evaluation problems to be resolved to universal satisfaction in the short or medium term. Though useful and engaging, they don’t play to the core strengths of a computational perspective, which sees the construction of working models as the most convincing way to drive home a point; this is especially so because the identification of creativity seems so much to be a relation between artifact and observer, and not just a property of the artifact itself. Therefore, computational creativity workshops have begun to phase out these often circular arguments in favor of more straightforward discussions and demonstrations of what can be achieved computationally and whether and why an audience might eventually dub this “creative.” Researchers therefore come to IJWCC workshops with laptops primed to give demos of what their systems can do, ready to show off features that have been added since their papers were first accepted. No abstract insight can compare with the ability to show a real creative system in full flow. Interactive show-and-tell sessions have thus become an irreplaceable—and very enjoyable—feature of the workshops.

Towards the Grand Challenges

As a forum for computational research in creativity, the IJWCC attracts both top-down and bottom-up approaches to creative behavior. Top-down approaches are those that tackle a complex problem such as art generation or music composition in its entirety, albeit at a level of achievement that leaves much room for improvement. The goal of top-down development in creativity research is to establish a framework or architecture in which individual modules can be successively developed or plugged in; and some top-down approaches are expressed entirely as frameworks or as sets of characteristics of systems. Bottom-up approaches are those that isolate some more or less specific module of a larger problem—such as analogical mapping, pun generation, or plot organization—that can be individually evaluated and improved. Though collaboration is frequent among IJWCC contributors, no one task or grand challenge has so far allowed for a synthesis for these different approaches on a significant scale. Nonetheless, the IJWCC provides an ideal forum for the development and management of such grand challenges.

It may well transpire that a grand challenge for computational creativity is not a solution to a particular problem, like many of the current agreed grand challenges in AI. Rather, it is likely to be the *way* a system does what it does, and how well, that constitutes the real challenge. For example, one less-than-grand challenge to overcome is the very common accusation that a rule-based system cannot be creative: “But you just programmed it to do what it does!” There is, of course, an argument that the output of a complex production system is not predictable by its author, but experience shows that this does not wash with most audiences. The obvious solution is to build systems that *learn* to do what they do, before attempting to do it creatively; and there is at least one such creative system (albeit not a very creative one) now reported in the mainstream computer music literature (Wiggins, Pearce, and Müllensiefen 2009). However, like most systems that involve multiple technologies (in this case, learning and then generation), the difficulties in designing and building the systems increase exponentially with that multiplicity. Therefore, we must follow the paths of the early AI pioneers, using relatively simple, readily comprehensible models, before we proceed to the greater complexities of realistic ones.

Progress

There is not space here to give a detailed survey of all the work presented over the past 10 years. But there is some value in listing some of the sustained contributions (some of which have already

fed into journal publications), grouped into areas of interest.

On the applied side, we have seen papers covering creative systems working in various domains. Linguistic creativity is embodied in work on forms traditionally seen as “creative,” narrative and poetry (Gervás, Pérez y Pérez, and Sosa 2007; Gervás 2000; Gervás 2001; Levy 2001), and on more common usage, much of which takes the reasoning to a more conceptual level, linking in to the more abstract conceptual work discussed later (Gervás 2002; Hayes, Seco, and Veale 2004; Hervas et al. 2006; Veale 2003). Visual art, too, has appeared, and this work has been notable for interesting attempts to characterize artistic value in perceptual terms, again linking it to the more theoretical work, summarized later (Hull and Colton 2007; Machado and Cardoso 2000; Machado, Dias, and Cardoso 2002; Saunders and Gero 2001). The third conventionally understood creative domain, music, has been disproportionately well represented, perhaps reflecting a broader interest in the scientific or empirical study of music that has been developing since the mid-1980s (Chuan and Chew 2007; Forth, McLean, and Wiggins 2008; Iliopoulos et al. 2002; Ribeiro et al. 2001; Whorley, Wiggins, and Pearce 2007). And, perhaps most importantly, because they are so often overlooked as *creative* domains, mathematics and science are represented, too (Colton 2001, Steel et al. 2000); these domains are as creative as any of the others, and we often do ourselves, as scientists, a disservice by forgetting the fact! What is more, a mathematically creative program, HR (Colton, Bundy, and Walsh 2000) was the subject of an award-winning paper at AAAI 2000 and is the first creative program, of which we are aware, to have contributed to a reference text in its field: the *Encyclopedia of Integer Sequences*.¹

There are several groups of papers concerned with more general issues that apply across domains, in various different ways. Saunders and Gero (2001), Machado et al. (2003), and Sosa and Gero (2004) are all concerned with simulations of creativity in social contexts and how creativity can emerge from interagent interaction. Pereira and Cardoso (2002), Veale (2003), Hao and Veale (2006), and Hervas et al. (2006) study analogy, metaphor, and conceptual blending as potential mechanisms for creative reasoning in a symbolic style. Finally, de Figueiredo and Campos (2001) and O’Donoghue and Crean (2002) are interested in serendipity and the problem of noticing an accidental creative act.

Without a theoretical literature, however, computational creativity could not dignify itself as a scientific study. The workshops have featured various proposals for models of creative processes, at various levels of abstraction (Colton 2003; Macha-

do et al. 2004; Magnani, Piazza, and Dossena 2002; McCormack 2007; Pease et al. 2002; Pereira and Cardoso 2002; Sosa and Gero 2003; Wiggins 2006a; Wiggins 2006b) and also various approaches to the assessment problem, outlined earlier (Colton, Pease, and Ritchie 2001; Pease, Winterstein, and Colton 2001; Ritchie 2001; Pearce and Wiggins 2007).

Prospects

While most people can claim an intuitive feeling for the concept of creativity, such intuitions do not always facilitate formalization and may even obscure it. Of course, it seems clear that computational creativity in particular is a subbranch of AI, but few AI researchers who are not ostensibly working on creativity would deny that their outputs lack creativity. Creativity is thus a rather amorphous concept that has thus far resisted the development of either a foundational set of techniques or key papers, despite the growing numbers of researchers who dedicate their efforts to the enlargement of the field.

Indeed, until recently, the field of creativity research has been as much influenced by the historical anecdotes of famously creative individuals, such as Poincaré, Kekulé, and Einstein, as it has been by a dedicated academic literature. Fortunately, this situation is beginning to change, in large part because of the computational emphasis of the yearly workshops that we as a community have organized. In this past decade, we have watched the community grow and solidify, and we have also watched it strive for a mutually acceptable definition of itself and its goals. We believe it is finally close to reaching a level of formalization that will act as a solid foundation for future scientific work.

One of the keystones that a growing research field requires is a canonical literature, a set of papers that guides future research and lays down markers as to the importance of key ideas and mechanisms. Our yearly workshops have so far produced two special issues of journals that bring together papers that we expect will stand the test of time (Cardoso and Bento 2006; Veale, Gervás, and Pease 2006).

A tenth anniversary event is currently being planned, to take place in Lisbon in 2010. We expect this event to be something of a coming of age for the field, as we move towards a creative future, and to mark that point, the event has been retitled the International Conference on Computational Creativity.

Notes

1. See www.research.att.com/~njas/sequences.

References

- Binsted, K.; Pain, H.; and Ritchie, G. 1997. Children's Evaluation of Computer-Generated Punning Riddles. *Pragmatics and Cognition* 5(2): 309–358.
- Black, R.; Waller, A.; Ritchie, G.; Pain, H.; and Manuring, R. 2007. Evaluation of Joke-Creation Software with Children with Complex Communication Needs. *Communication Matters* 21(1): 23–28.
- Boden, M. 1999. Preface to the Special Issue on Creativity in the Arts and Sciences. *AISB Quarterly* (Summer-Autumn) 102.
- Boden, M. 1998. Creativity and Artificial Intelligence. *Journal of Artificial Intelligence* 103(2): 347–356.
- Boden, M. 1977. *Artificial Intelligence and Natural Man*. Brighton, Sussex, UK: Harvester Press.
- Cardoso, A., and Bento, C. 2006. Special issue on Computational Creativity. *Journal of Knowledge-Based Systems* 19(7).
- Chuan, C.-H., and Chew, E. 2007. A Hybrid System for Automatic Generation of Style-Specific Accompaniment. Paper presented at the 4th International Joint Workshop on Computational Creativity, Goldsmiths, University of London, London, UK, 17–19 June.
- Colton, S. 2008. Creativity Versus the Perception of Creativity in Computational Systems. In *Creative Intelligent Systems: Papers from the AAAI Spring Symposium*, ed. D. Ventura, M. L. Maher, and S. Colton. Technical Report SS-08-03. Menlo Park, CA: AAAI Press.
- Colton, S. 2003. Creative Logic Programming. Paper presented at the Third Workshop on Creative Systems: Approaches to Creativity in Artificial Intelligence and Cognitive Science. Eighteenth International Joint Conference on Artificial Intelligence, Acapulco Mexico, 9–10 August.
- Colton, S. 2001. Experiments in Meta-Theory Formation. In *Proceedings of the AISB 2001 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins, G. Falmer. Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Colton, S.; Bundy, A.; and Walsh, T. 2000. Automatic Invention of Integer Sequences. In *Proceedings of the Seventeenth National Conference on Artificial Intelligence (AAAI 2000)*, 558–563. Menlo Park, CA: AAAI Press/MIT Press.
- Colton, S.; Pease, A.; and Ritchie, G. 2001. The Effect of Input Knowledge on Creativity. Paper presented at the First Workshop on Creative Systems, International Conference of Case-Based Reasoning (ICCB-01), Vancouver, British Columbia, Canada, 30 July–2 August.
- de Figueiredo, A. D., and Campos, J. 2001. The Serendipity Equations. Paper presented at the First Workshop on Creative Systems, International Conference of Case-Based Reasoning (ICCB-01), Vancouver, British Columbia, Canada, 30 July–2 August.
- d'Inverno, M., and Saunders, R. 2005. Agent-based Modelling of Stem Cell Organisation in a Niche. In *Engineering Self-Organising Systems*, Lecture Notes in Artificial Intelligence 3464, ed. J. G. Carbonell and J. Siekmann, 52–68. Heidelberg: Springer.
- Forth, J.; McLean, A.; and Wiggins, G. 2008. Musical Creativity on the Conceptual Level. Paper presented at the Fifth International Joint Workshop on Computational Creativity, Ciudad Universitaria, Facultad de Informatica, Madrid, Spain, 17–19 September.
- Gervás, P. 2002. Linguistic Creativity at Different Levels of Decision in Sentence Production. In *Proceedings of the AISB 2002 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. A. Cardoso and G. Wiggins, 79–88. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Gervás, P. 2001. Generating Poetry from a Prose Text: Creativity versus faithfulness. In *Proceedings of the AISB 2001 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Gervás, P. 2000. Wasp: Evaluation of Different Strategies for the Automatic Generation of Spanish Verse. In *Proceedings of the AISB 2001 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Gervás, P.; Pérez y Pérez, R.; and Sosa, R. 2007. On the Fly Collaborative Story-Telling: Revising Contributions to Match a Shared Partial Story Line. Paper presented at the 4th International Joint Workshop on Computational Creativity, Goldsmiths, University of London, London, UK, 17–19 June.
- Gould, S. J. 2000. The Substantial Ghost: Towards a General Exegesis of Duchamp's Artful Wordplays. *Tout-Fait, The Marcel Duchamp Online Journal* 1(2).
- Hao, Y., and Veale, T. 2006. A Fluid Category Structure for Metaphor Processing. Paper presented at the Third Joint Workshop on Computational Creativity, European Conference on Artificial Intelligence (ECAI 2006), Riva del Garda, Italy, 28–29 August.
- Hayes, J.; Seco, N.; and Veale, T. 2004. Creative Discovery in the Lexical Validation Gap. Paper presented at the First International Joint Workshop on Computational Creativity, Universidad Complutense de Madrid, Madrid, Spain, 17–19 September.
- Hervas, R.; Pereira, F.; Gervás, P.; and Cardoso, A. 2006. Cross-Domain Analogy in Automated Text Generation. Paper presented at the Third Joint Workshop on Computational Creativity, European Conference on Artificial Intelligence (ECAI 2006), Riva del Garda, Italy, 28–29 August.
- Hull, M., and Colton, S. 2007. Towards a General Framework for Program Generation in Creative Domains. Paper presented at the 4th International Joint Workshop on Computational Creativity, Goldsmiths, University of London, London, UK, 17–19 June.
- Iliopoulos, C. S.; Lemstrom, K.; Niyad, M.; and Pinzon, Y. J. 2002. Evolution of Musical Motifs in Polyphonic Passages. In *Proceedings of the AISB 2002 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. A. Cardoso and G. Wiggins, 67–76. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Levy, R. 2001. A Computational Model of Poetic Creativity with Neural Network as Measure of Adaptive Fitness. Paper presented at the First Workshop on Creative Systems, International Conference of Case-Based Reasoning (ICCB-01), Vancouver, British Columbia, Canada, 30 July–2 August.
- Machado, P., and Cardoso, A. 2000. NEVAr—The Assessment of an Evolutionary Art Tool. In *Proceedings of the AISB 2000 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Machado, P.; Dias, A.; and Cardoso, A. 2002. Learning to Colour Greyscale Images. *Interdisciplinary Journal of Artificial Intelligence and the Simulation of Behaviour, AISB Journal* 1(2): 209–219.
- Machado, P.; Romero, J.; Manaris, B.; Cardoso, A.; and Santos, A. 2003. Power to the Critics—A Framework for the Development of Artificial Art Critics. Paper presented at the Third Workshop on Creative Systems: Approaches to Creativity in Artificial Intelligence and Cognitive Science. Eighteenth International Joint Conference on Artificial Intelligence, Acapulco, Mexico, 9–10 August.
- Machado, P.; Tavares, J.; Cardoso, A.; Pereira, F. B.; and Costa, E. 2004. Evolving Creativity. Paper presented at the First International Joint Workshop on Computational Creativity, Universidad Complutense de Madrid, Madrid, Spain, 17–19 September.
- Magnani, L.; Piazza, M.; and Dossena, R. 2002. Abduction as a Rational Means to

- Creativity, Unexpressed Knowledge and Scientific Discovery. Paper presented at the Second Workshop on Creative Systems, Approaches to Creativity in Artificial Intelligence and Cognitive Science, European Conference on Artificial Intelligence (ECAI 2002), Lyon, France, July.
- McCormack, J. 2007. Creative Ecosystems. Paper presented at the 4th International Joint Workshop on Computational Creativity, Goldsmiths, University of London, London, UK, 17–19 June.
- Newell, A.; Shaw, J. G.; and Simon, H. A. 1963. The Process of Creative Thinking. In *Contemporary Approaches to Creative Thinking*, ed. H. E. Gruber, G. Terrell, and M. Wertheimer, 63–119. New York: Atherton.
- O'Donoghue, D., and Crean, B. 2002. Searching for Serendipitous Analogies. Paper presented at the Second Workshop on Creative Systems, Approaches to Creativity in Artificial Intelligence and Cognitive Science, European Conference on Artificial Intelligence (ECAI 2002), Lyon, France, July.
- Pearce, M. T., and Wiggins, G. A. 2007. Evaluating Cognitive Models of Musical Composition. Paper presented at the 4th International Joint Workshop on Computational Creativity, Goldsmiths, University of London, London, UK, 17–19 June.
- Pease, A.; Colton, S.; Smail, A.; and Lee, J. 2002. Lakatos and Machine Creativity. Paper presented at the Second Workshop on Creative Systems, Approaches to Creativity in Artificial Intelligence and Cognitive Science, European Conference on Artificial Intelligence (ECAI 2002), Lyon, France, July.
- Pease, A.; Winterstein, D.; and Colton, S. 2001. Evaluating Machine Creativity. Paper presented at the First Workshop on Creative Systems, International Conference of Case-Based Reasoning (ICCB-01), Vancouver, British Columbia, Canada, 30 July–2 August.
- Pereira, F. C., and Cardoso, A. 2002. Conceptual Blending and the Quest for the Holy Creative Process. Paper presented at the Second Workshop on Creative Systems, Approaches to Creativity in Artificial Intelligence and Cognitive Science, European Conference on Artificial Intelligence (ECAI 2002), Lyon, France, July.
- Ribeiro, P.; Pereira, F. C.; Ferrand, M.; and Cardoso, A. 2001. Case-Based Melody Generation with MuzaCazUza. In *Proceedings of the AISB 2001 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins, 67–74. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Ritchie, G. 2007. Some Empirical Criteria for Attributing Creativity to a Computer Program. *Minds and Machines* 17(1): 67–99.
- Ritchie, G. 2001. Assessing Creativity. In *Proceedings of the AISB 2001 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins, 3–11. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Saunders, R., and Gero, J. S. 2004. Situated Design Simulations Using Curious Agents. *AI EDAM Journal* 18(2): 153–161.
- Saunders, R., and Gero, J. 2001. The Digital Clockwork Muse: A Computational Model of Aesthetic Evolution. In *Proceedings of the AISB 2001 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins, 12–21. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Simpson, A. 2008. OGC Reveals New Logo to Red Faces. *The Daily Telegraph*, April 29. London, UK.
- Sosa, R., and Gero, J. 2004. The Role of Gatekeepers in Creativity. Paper presented at the First International Joint Workshop on Computational Creativity, Universidad Complutense de Madrid, Madrid, Spain, 17–19 September.
- Sosa, R., and Gero, J. 2003. Design and Change: A Model of Situated Creativity. Paper presented at the Third Workshop on Creative Systems: Approaches to Creativity in Artificial Intelligence and Cognitive Science. Eighteenth International Joint Conference on Artificial Intelligence, Aucapulco, Mexico, 9–10 August.
- Steel, G.; Colton, S.; Bundy, A.; and Walsh, T. 2000. Cross Domain Mathematical Concept Formation. In *Proceedings of the AISB 2000 Symposium on Artificial Intelligence and Creativity in Arts and Science*, ed. G. Wiggins. Falmer, Brighton, UK: Society for the Study of Artificial Intelligence and Simulation of Behaviour.
- Veale, A.; Gervás, P.; and Pease, A. 2006. Special Issue on Computational Creativity. *New Generation Computing* 24(3).
- Veale, T. 2003. Qualia Extraction and Creative Metaphor in Wordnet. Paper presented at the Third Workshop on Creative Systems: Approaches to Creativity in Artificial Intelligence and Cognitive Science. Eighteenth International Joint Conference on Artificial Intelligence, Aucapulco, Mexico, 9–10 August.
- Whorley, R.; Wiggins, G. A.; and Pearce, M. T. 2007. Systematic Evaluation and Improvement of Statistical Models of Harmony. Paper presented at the 4th International Joint Workshop on Computational Creativity, Goldsmiths, University of London, London, UK, 17–19 June.
- Wiggins, G. A. 2006a. A Preliminary Framework for Description, Analysis and Comparison of Creative Systems. *Journal of Knowledge Based Systems* 19(7): 449–458.
- Wiggins, G. A. 2006b. Searching for Computational Creativity. *New Generation Computing* 24(3): 209–222.
- Wiggins, G. A.; Pearce, M. T.; and Müllensiefen, D. 2009. Computational Modelling of Music Cognition and Musical Creativity. In *Oxford Handbook of Computer Music and Digital Sound Culture*, ed. R. Dean. Oxford, UK: Oxford University Press.

Amílcar Cardoso, PhD, Habil., is an associate professor at the Department of Informatics Engineering of University of Coimbra and current director of the R&D Centre for Informatics and Systems, where he coordinates the Cognitive and Media Systems Group. He has researched computational creativity since 1994 and was cochair of seven international events on the subject. His research interests currently include the study and development of computational models of creativity and emotion, automatic music composition, and human-computer interaction.

Tony Veale is a lecturer in the School of Computer Science at University College Dublin and the School of Software Engineering at Fudan University, Shanghai, and more recently, a visiting fellow at VLAC, the Flemish academy for arts and sciences in Brussels. He obtained his Ph.D in computer science at Trinity College Dublin in 1996, on the topic of computational models of metaphor processing. At UCD he continues to research the computational treatment of metaphor, analogy, irony, and humor.

Geraint A. Wiggins has an MA degree from the University of Cambridge in mathematics and computer sciences and Ph.Ds from the University of Edinburgh in artificial intelligence and in musical composition. He works in the Department of Computing and the Centre for Cognition, Computation, and Culture at Goldsmiths, University of London, where he is chair of computational creativity and leads the Intelligent Sound and Music Systems (ISMS) research group. His research interests are centered on computational cognitive modeling of creative behavior, particularly in the context of music, the aims of the work being to understand better how human creativity arises, both in evolutionary and mechanistic terms, and to begin to understand how it works, on an individual basis. He is an associate editor of *Musicae Scientiae*, and a consulting editor of *Music Perception*.